

تتشرف شركة LST Egypt بتقديم الحلول المقترحة و التي يمكن اختيار المناسب منها و الذي يتناسب مع احتياجات سيادتكم.
شركة LST Egypt هي واحدة من الشركات التي تعمل في مجال انظمة الأمان ولديها خبره بالسوق المصري 10 سنوات .
وتستخدم الشركة المصنعه بالصين احدث الأساليب العلمية و العالمية في تصنيع منتجاتها و التي تتميز بسهولة الإستخدام كذلك توافر احدث التقنيات و المميزات التي توفر للمستخدم الراحة في الإستخدام كذلك اعلى معدلات الأمان , وايضا المصنع بالصين يتميز بالخبره في الاسواق العربيه تتعدى ال 40 عاما .



FACE ID WIFI SMART LOCK OS-867FBFA

Color : Black

Specification:-

Connection methods : Wifi.

Power Requirement: 4200mah rechargeable lithium battery.

Unlocking method:

- 1.Face ID.
- 2.Palm Vein.
- 3.Fingerprint.
- 4.Password.
- 5.IC Card.
- 6.Wifi Remote.
- 7.Key.

Users quantity: Palm:50 Face:50 Fingerprint:50 Password:100 IC Card:100 .

FAR: <0.001%. FRR: <1%. Working humidity: 20-93%RH.

Average standby current: 65uA. Low voltage warn: 4.8v.

Continuous supply voltage range: 4.0-7.0v. working current: <250mA.

unlocking time: <1.5s. Material: Aluminum . Screen: 5 inch IPS screen.

Cylinder: C-Class key. Device Weight: 3000g(3.3 lbs). Working temperature: -20°C~50°C.



Feature: -

- TTLOCK APP Working.
- 7 unlocking methods
1.Face ID 2.Palm Vein 3.Fingerprint 4.Password
5.IC Card 6.Wifi Remote 7.Key
- Video surveillance.

- **Photo capture function**
Capture photo and send to app
 - **Prompts door lock power in real time**
 - **Time-limited passwords and Bluetooth ekeys**
 - **App language**
English,Russia,Spanish,Porugal,Chinese
 - **Firmware update.**
 - **Wifi & mobile internet remote unlock.**
 - **Compatible with**
Amazon Alexa, google home, Tmall elves,
Baidu dure(need gateway)
 - **Android ,Apple(IOS) 2 versions software.**
 - **Video talk function**
As same as whatsapp video
 - **Anti-prying alarm function.**
 - **Password,IC card,fingerprint real-time door opening remind(need gateway).**
 - **AES 128-bit encryption to prevent all hacker hidden dangers.**
 - **Multiple times password-enter error alarms.**
-

